



ARCHITECT | *ci* SYSTEM

Access Our Core Lab Menu.
Enable Your Laboratory Services.

THE EXTENSIVE MENU FOR CLINICAL CHEMISTRY AND IMMUNOASSAYS ON ARCHITECT *ci* SYSTEM

CLINICAL CHEMISTRY

DRUGS OF ABUSE/ TOXICOLOGY

6-Acetylmorphine
Acetaminophen
Amphetamine/Methamphetamine
Barbiturates
Benzodiazepines
Benzodiazepines Serum
Buprenorphine
Cannabinoids
Cocaine
Ecstasy
Ethanol
Fentanyl
Methadone
Methadone (EDDP)
Opiates
Oxycodone
Phencyclidine (PCP)
Propoxyphene
Salicylate
Tramadol
Tricyclic Antidepressants

METABOLIC

Ferritin
HbA1c

GENERAL CHEMISTRY

ACE
Acid Phosphatase
Albumin BCG
Albumin BCP
Alkaline Phosphatase
ALT
ALT (activated)
Ammonia
Amylase
AST
AST (activated)
Bilirubin, Direct
Bilirubin, Total
Calcium
Cholesterol
CK
CO₂
Creatinine
Enzymatic Creatinine
Direct LDL
GGT
Glucose
HDL, Ultra
ICT Cl⁻ (Chloride)
ICT K⁺ (Potassium)
ICT Na⁺ (Sodium)
Iron
LDH (Lactate Dehydrogenase)
Lactic Acid
Lipase
Magnesium (Arsenazo)
Magnesium (Enzymatic)
Phosphorous
Total Protein
Triglyceride
UIBC
Urea Nitrogen
Uric Acid
Urine/CSF Protein

PROTEINS

Alpha-1 Antitrypsin
Alpha-1 Glycoprotein
Apolipoprotein A1
Apolipoprotein B
ASO
Beta 2-Microglobulin
Ceruloplasmin
Complement C3
Complement C4
CRP Vario (High Sensitivity, Standard, Wide Range)
Haptoglobin
IgA
IgE
IgG
IgM
Lp(a)
Microalbumin
Prealbumin
RF
Transferrin
Kappa Light Chains
Lambda Light Chains

THERAPEUTIC DRUG MONITORING

Amikacin
Carbamazepine
Digoxin
Gentamicin
Lithium
Phenobarbital
Phenytoin
Theophylline
Tobramycin
Valproic Acid

IMMUNOASSAY

CANCER

AFP
CA 125
CA 15-3
CA 19-9 (CA 19-9 XR)
CEA
HE4
PSA, Free
PSA, Total
ROMA (HE4/CA125)

CARDIAC

BNP
STAT CK-MB
Galectin-3
STAT Myoglobin
STAT Troponin-I
STAT High Sensitivity Troponin-I

FERTILITY/PREGNANCY

DHEA-S
Estradiol
FSH
hCG (total beta-hCG)
LH
Progesterone
Prolactin
SHBG
Testosterone

HEPATITIS

HAVAB-G
HAVAB-M
Anti-HBc
Anti-HBc IgM
Anti-HBs
HBsAg
HBsAg Confirmatory
Anti-HCV

METABOLIC

Active-B12
Anti-CCP
B12
C-Peptide
Cortisol
Ferritin
Folate
Homocysteine
Insulin
Intact PTH
Procalcitonin
Vitamin D

OTHER INFECTIOUS DISEASE

SARS-CoV-2 IgG**
AdviseDx SARS-CoV-2 IgG II Semi-Quant**
AdviseDx SARS-CoV-2 IgM**
Syphilis TP

RETROVIRUS

HIV Ag/Ab Combo

THERAPEUTIC DRUG MONITORING

Carbamazepine
Digoxin
Gentamicin
Phenobarbital
Phenytoin
Theophylline
Valproic Acid
Vancomycin

THYROID

Anti-Tg
Anti-TPO
Free T3
Free T4
Total T3
Total T4
TSH
T-Uptake

TRANSPLANT


Cyclosporine
Sirolimus
Tacrolimus

*In development. Not commercially available.

For complete assay information, see the assay specific package insert.

ARCHITECT SYSTEM FAMILY

CONSISTENT USER EXPERIENCE



**The Abbott SARS-CoV-2 IgG, AdviseDx SARS-CoV-2 IgM and AdviseDx SARS-CoV-2 IgG II tests run on the Abbott ARCHITECT i platform are for in vitro diagnostic use under the FDA Emergency Use Authorization only. These tests have not been FDA cleared or approved; These tests have been authorized by FDA under an EUA for use by authorized laboratories; These tests have been authorized only for the detection of IgG and the presence of IgM antibodies against SARS-CoV-2, not for any other viruses or pathogens; and These tests are only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of in vitro diagnostic tests for detection and/or diagnosis of COVID-19 under Section 564(b)(1) of the Act, 21 U.S.C. §360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

For In Vitro Diagnostic Use.

For complete assay information, see the assay specific package insert.

CORELABORATORY.ABBOTT

© 2025 Abbott. All rights reserved. All trademarks referenced are trademarks of either the Abbott group of companies or their respective owners. Any photos displayed are for illustrative purposes only. CORE-25007861 07/25

All ARCHITECT instruments are Class 1 laser products.

